TYPICAL FLOOR OR YARD CLEANOUT



NOTE:

1. DEBRIS GUARD SLOTS
2. SECURING SCREW
3. BRASS CLEANOUT PLUG W / RAISED HEAD AND RUBBER SEAL RING
4. CLAMPING COLLAR
5. CAST IRON BODY W / FLASHING FLANGE
6. ADJUSTABLE HOUSING
7. SCREW THREADED OUT PIPE OR SPIGUT & HUT OUT PIPE
8. 90° BEND LONG RADIUS OR T-Y CONNECTION
9. SOIL OR DRAIN PIPE

REMARK: IF USING WITH THE FLOOR THAT NOT HAVE WATERPROOF SYSTEM. (4) AND (5) CAN BE CASTIED TOGETHER

FLOOR DRAIN USED IN TOILET



NOTE:

1. GRATE
2. SECURING SCREW
3. DRAINAGE SLOPE
4. ADJUSTABLE HOUSING
5. SEDIMENT BUCKET
6. CLAMPING COLLAR
7. ADAPTOR
8. P-TRAP
9. CLAENOUT PLUG
10. WASTEWATER DRAIN PIPE

REMARK: IF USING WITH THE FLOOR THAT NOT HAVE WATERPROOF SYSTEM. (6) CAN BE CASTIED TOGETHER

ROOF DRAIN



NOTE:

1. DEBRIS GUARD SLOTS
2. SECURING SCREW
3. GUTTER
4. ADJUSTABLE HOUSING
5. CLAMPING COLLAR
6. CAST IRON BODY W/ FLASHING FLANGE
7. ADAPTOR
8. 90° BEND
9. DRAIN PIPE

REMARK: IF USING WITH THE FLOOR THAT NOT HAVE WATERPROOF SYSTEM. (5) AND (6) CAN BE CASTIED TOGETHER

FLOOR DRAIN USE FOR SLAB ON GROUND



NOTE:

1. GRATE
2. DRAINAGE SLOPE
3. ADJUSTABLE HOUSING
4. CLAMPING COLLAR
5. BELL TRAP
6. CAST IRON BODY W / FLASHING FLANGE
7. ADAPTOR
8. 90ø BEND
9. WASTE AND DRAIN PIPE

REMARK: IF USING WITH THE FLOOR THAT NOT HAVE WATERPROOF SYSTEM. (4) AND (6) CAN BE CASTIED TOGETHER

SCUPPER DEAIN USED IN TOILET



NOTE:

1. GRATE
2. SECURING SCREW
3. DRAINAGE SLOPE
4. CONCRETE SLAB
5. CMU WALL
6. ADAPTOR
7. P-TRAP
8. CLAENOUT PLUG
9. WASTEWATER DRAIN PIPE

LAVATORY



LAVATORY



SHOWER



WALL HUNG URINAL (FLUSH VALVE TYPE)



WATER CLOSET WITH FLUSH VALVE (WC)



WATER CLOSET WITH FLUSH TANK (WC)



ตารางขนาดท่อสำหรับสุขภัณฑ์ต่างๆ(หากในแบบมีได้ระบุ)

สุขภัณฑ์	ขนาดท่อประปา ณ. จุดต่อเข้าสุขภัณฑ์	ขนาดท่อระบายน้ำ	ขนาดท่อระบายก๊าซ
โถชักโครก (หม้อน้ำ)	1/2"	4"	2"
โถชักโครก (ฟลัชวาล์ว)	1 1/4"	4"	2"
โถปัสสาวะ (ฟลัชวาล์ว)	1"	2"	1 1/4"
อ่างล้างหน้า	1/2"	1 1/2"	1 1/4"
อ่างซักล้าง	1/2"	2"	1 1/4"
อ่างอาบน้ำ	1/2"	2"	1 1/4"
ผักบัว	1/2"	2"	-
ช่องระบายน้ำพื้น	-	2"	-
ก๊อกน้ำ	1/2"	-	-

อาคารเพื่อการเกษตรและสหกรณ์การเกษตร

กองบริหารอาคารสำนักงาน

แบบ
ก่อสร้างอาคาร สนง.
สาขา มาตรฐาน 2 ชั้น
(บันไดขวา)

สถาปนิก
นายวิบูลย์ เจริญวราสิ สถ 1102ส.
นายวิเชษฐ์ เจริญธีรบูรณ์ สสถ 1762
นายศรีวัลย์ พรหมสุวรรณ สถ 3543ภ

มัณฑนากร
นายสิทธิชัย อุนยะพันธ์ สถบ(ภายใน)
นางอารีวัลย์ กุยะธรพรต ศษ.บ

วิศวกรโยธา
นายสัมพันธ์ ชุทรานนท์ สย 6270
นายนินนาท ทองมา สย 4933

วิศวกรไฟฟ้า
นายชัยวัฒน์ ซื่อตรง ภฟก 5414
นายนันทพล พลกล้า ภฟก 4998
นายสริฐศิริ น้อยวิลัย ภฟก 14080

สุขาภิบาล
นายอร่ามโรจน์ อุดมะปรากรม
นายชิตชัย ชัชวาลย์ปรีชา

เขียนแบบ

ตรวจแบบ | อนุมัติแบบ

แก้ไขแบบ
ครั้งที่ 1

วันที่ พฤศจิกายน 2544

แบบแสดง
แบบมาตราฐานการติดตั้ง

FILES NO. | แผ่นที่ SN-09

เลขที่แบบ | รวม 9